Global

GAS FIRES 2020



MADE IN BRITAIN







Welcome to Global

At Global Fires we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of versatile and affordable gas fires to complement all tastes and lifestyles.



I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards. As a result all Global fires carry a 10 year guarantee to reflect my belief in their quality and durability, and our experienced Global retailers are hand-picked to give you the very best advice and service.

This brochure has been designed to make the purchase of your new Global fire as simple as possible. I hope you will find it both informative and inspiring.





Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and services. Every Global branded gas fire is developed and manufactured in Britain at our purpose built, state-of-the-art facility in Stoke-on-Trent.







10 Year Guarantee

All Global gas fires carry the peace of mind of a 10 year Guarantee and the reassurance of a flame supervision device on all models. This device prevents the uncontrolled release of gas to the burner.

Our 10 year Guarantee is subject to terms and conditions including annual services and annual replacement of the oxypilot assembly carried out by a Gas Safe Register engineer.



Product Testing & Certification

All our gas fires are independently tested, approved and verified by the British Standards Institution (BSI) to meet the latest standards for performance, safety and efficiency.

The BSI is an independent organisation. They are not owned by the government, industry or shareholders, which means that they can be totally objective with regards testing and certification. This gives their assessments more authority than those of an organization that has a vested interest in promoting its members.

They have some of the most experienced and knowledgeable staff in the world and are recognised internationally for their technical expertise, quality services and in-depth knowledge of gas and electrical product testing and certification.

The wide-ranging capability of their testing facilities and the broad expertise and knowledge of their testing and certification staff ensures our products are rigorously tested with the utmost integrity.



Ecodesign compliant

This logo signifies that the product is fully compliant with the Eco design directive Commission Regulation (EU) 2015/1188.



Using this brochure

Before you begin please take a moment to read page 6 and establish the type of chimney or flue you have in your home and the control type which would be most suitable for your needs. As you browse through our product range you can easily identify if a gas fire is suitable for you by checking the icons on each page.

Unless otherwise stated, our hearth inset fires come complete with a Profiled trim in your choice of brass, chrome, satin silver or black finish. Complete the look of your chosen fire with any of our 7 traditional or contemporary fret designs. You may also be able to upgrade to a different trim, or for a more modern look, one of our fascia options. See pages 24-25 to find out which accessories are suitable for your chosen fire.

Welcome to Global
Contents4
Efficiencies
Before you begin

highefficiency

Hearth Inset – Glass Fronted

standardfires

Conventional Flue	
Hearth Inset – Open Fronted	
Corda	.17
Karara	18
Fantasy	19

Accessories	
Trims	20
Frets	21
Fascias	22

highefficiency

Get up to **93.5%** energy efficiency from your gas fire...

Global Fires have set new industry standards with the introduction of the high efficiency range: exceptional heat output combined with lower running costs compared to standard gas fires.

Our team has invested in developing the technology to meet the key objective of producing gas fires that save energy and as a result, help to keep costs down.

Conventional Flue Fires

Glass Fronted Fires



Our range of high efficiency conventional flue glass fronted fires have an energy efficiency of up to 86%. They have a glass panel across the front of the fire which radiates the heat generated from the fuel bed directly into the room. The glass panel concentrates the radiant heat so that more heat is forced into the room and less is lost through the chimney. Combined with convected heat which is produced by cool air drawn into the base of the fire through the heat exchanger and then emitted as warm air though the gap above the canopy, making these the most efficient conventional flue fires available.

Open Fronted Fires



Our high efficiency conventional flue open fronted fires can reach an energy efficiency of up to 68.3%. These fires provide the look and feel of a real open fire providing both radiant and convected heat. Radiant heat is emitted from the coal effect fuel bed and the convected heat is generated by cool air drawn into the base of the fire which passes through a heat exchanger and is then emitted as warm air though the gap above the canopy.

Glass Fronted Fires

Balanced Flue Fires



Our range of high efficiency balanced flue fires have an energy efficiency of up to 93.5%.

Designed for those who want all the benefits of a gas fire but don't have a built in chimney or flue in their home, a balanced flue fire comes with its own flue terminal which is vented directly through an outside wall. They are glass fronted, completely room sealed appliances and work by drawing and venting external air via a pair of co-axial tubes into the fire for combustion purposes.

standardfires

Conventional Flue Fires

Open Fronted Fires



Standard fires can achieve a direct heat output of up to 3.1kW. However these products are not suitable for use as a primary heat source.

Before you begin...

Type of Chimney or Flue

The type of chimney or flue you have dictates the type of fire you can have. But if you're not sure, then take a look at your roof and compare it with the simple guide below. It's worth remembering that a full depth fire often requires a traditional chimney or rebate on the fire surround, whilst a slimline fire will fit virtually any chimney or flue.



Brick Chimney

Apart from products designed for 'no chimney' applications, all Global products will fit brick chimneys. They are easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



Pre-Fabricated Flue

Pre-fabricated flues are easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



Pre-Cast Flue

Pre-cast flues can be identified by a ridge vent or metal flue tube and terminal on the roof. Constructed from concrete or clay blocks they form a rectangular section flue. All Global fires featuring this icon are only suitable for pre-cast flues conforming to BS EN 1858.

Can't see a Chimney or Flue?

If you can't see a chimney or flue like the ones described above, then you will require a Balanced Flue fire.



Balanced Flue

Balanced Flue fires use a horizontal pipe to vent directly outside. An electricity supply is not required for Balanced Flue products.

Controls



Manual Control

Simple and discreet. The control system is located behind the fires fret or trim. Once the fire is lit rotate the control knob to adjust the flame height and heat output.



Slide Control

A convenient control system which is located on the top right-hand side of the fire. Push and hold the lever down to ignite and move it up and down to adjust the flame height and heat output.



Easy Flame Control (EFC)

Discreet, easy access buttons are used to ignite the fire and adjust heat and flame height.



Remote Control

The remote control handset is used to light the fire as well as to adjust the flame height and heat output.



Remote Control with Thermostat

The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. In addition, the handset contains the extra benefit of a thermostatic control to regulate room temperature and a programmable timer that can be pre-programmed to ensure your room will be warm whenever you wish.

Fuel Bed Effects







Gas Supply

Your gas supply will depend on the area in which you live.



Natural Gas If you have a gas meter then you will have natural gas.



LPG
Alternative for houses with no natural gas supply.

Back Panels





Plain Black

Brick Effect





Wall Inset – Glass Fronted

Delta HE



This portrait hole-in-the-wall fire features a striking chrome fascia and a 3.4kW heat output. The Delta HE wall inset is the ideal solution for smaller rooms where space is at a premium. The glass fronted Delta HE is operated by thermostatic remote control and comes with a coal fuel bed. A pebble fuel effect is available as an optional extra.


Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency		84.3%
Energy efficiency class		С
Fuel type		Natural gas
Direct heat output		3.4kW
Fuel effect	Control type	Model Number
Coal	Remote	GHKC56RN3

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally

Dimensions









Chimney Fabricated



Remote











Hearth Inset - Glass Fronted

Saranda HE



If you're looking for a gas fire with efficiency in mind this has to be the product for you. The Saranda HE glass fronted fire features our most realistic full depth coal effect fuel bed and boasts an energy efficiency of 86%. With an impressive 3.9kW output the Saranda HE keeps your heat high and your fuel costs low.

Accessorise your fire with your choice of fascia or trim and fret combination from our wide selection (see pages 20-22).


Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

	Manual/Slide	Remote
Useful energy efficiency	86%	86%
Energy efficiency class	С	С
Fuel type	Natural gas	Natural gas
Direct heat output	3.9kW	3.9kW

	Fuel effect	Control type	Model Number
		Manual	GHEC00MN
Coal	Slide	GHECOOSN	
	Remote	GHECOORN2	

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally























Natural Gas

Brick Chimney

Fabricated

8









Chimney Fabricated













highefficiency Conventional Flue

Hearth Inset – Glass Fronted

Karara HE




The slimline Karara HE is the high energy efficiency solution for almost any flue type. Suitable for brick chimney, pre-fabricated and pre-cast flues, this glass fronted product delivers an amazing 2.9kW heat output and has an energy efficiency of 81.3%. A pebble fuel effect is available as an optional extra. Accessorise your fire with your choice of fascia or trim and fret combination from our wide selection (see pages 20-22).

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency		81.3%
Energy efficiency class		D
Fuel type		Natural gas
Direct heat output		2.9kW
Fuel effect	Control type	Model Number
Coal	Manual	GSHC00MN
Coat	Slide	GSHC00SN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally



Dimensions A & B refer to Profiled trim only.



Hearth Inset - Glass Fronted

Fantasy HE



The Fantasy HE features a highly realistic full depth fuel bed and will fit most chimney and flue applications, including pre-cast when fitted with a 3" rebated surround. This glass fronted fire provides an impressive 3.4kW heat output and 84.3% energy efficiency. With a coal fuel effect and manual, slide or thermostatic remote control, you will certainly find a model to suit your taste and needs. A pebble fuel effect is also available to purchase as an optional extra.

Accessorise your fire with your choice of fascia or trim and fret combination from our wide selection (see pages 20-22).

Specifications


Description: Full depth inset gas fire Type of Heat: Radiant & Convected

	Manual/Slide	Remote
Useful energy efficiency	84.3%	84.3%
Energy efficiency class	D	С
Fuel type	Natural gas	Natural gas
Direct heat output	3.4kW	3.4kW

Fuel effect	Control type	Model Number
	Manual	GHKC00MN2
Coal/Pebble	Slide	GHKC00SN2
	Remote	GHKC00RN3

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally

Dimensions



Dimensions A & B refer to Profiled trim only.









Fabricated













Remote















Hearth Inset – Open Fronted

Fantasy Plus



The Fantasy Plus boasting an amazing 68.3% energy efficiency can be installed in to almost any chimney or flue, including precast when fitted with a 3" rebated fire surround. This openfronted gas fire features a highly realistic coal fuel effect and is available as a manual, slide or remote controlled fire. Accessorise your fire with your choice of fascia or trim and fret combination from our wide selection (see pages 20-22).

A pebble fuel effect is available as an optional extra.


Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.2kW

Fuel effect	Control type	Model Number
Coal/Pebble	Manual	GKPC00MN
	Slide	GKPC00SN
	Remote	GKPC00RN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally



Dimensions A & B refer to Profiled trim only.



Brick















Natural Gas

Chimney Fabricated



Hearth Inset – Open Fronted

Arana Plus



The Arana Plus is our first full depth open-fronted high efficiency gas fire. You can now achieve the look of a real open coal fire at an incredible 66.7% energy efficiency. Suitable for installation into standard chimneys the Arana Plus comes in a choice of manual, slide or remote control and can be styled to suit your home with our wide range of trims and frets.

Accessorise your fire with your choice of fascia or trim and fret combination from our wide selection (see pages 20-22).

Specifications


Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	66.7%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.1kW

Fuel effect	Control type	Model Number	
	Manual	GOPCOOMN	
Coal	Slide	GOPC00SN	
	Remote	GOPCOORN2	

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally

Dimensions



Dimensions A & B refer to Profiled trim only







Chimney



Fabricated



































highefficiency Conventional Flue

Hearth Inset – Open Fronted

Corda Plus



The Corda Plus is one of the most efficient open-fronted slimline gas fires available today and with a heat output of up to 4kW it is also one of the warmest products suitable for a pre-cast flue.

The Corda Plus is available in a choice of manual, slide, or remote control. This extremely versatile fire can be styled with a wide range of Global trims, frets or fascias and with an optional pebble fuel bed it is easy to create a look to suit your existing décor.

Accessorise your fire with your choice of fascia or trim and fret combination from our wide selection (see pages 20-22).


Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

	Manual	Remote
Useful energy efficiency	66.8%	66.8%
Energy efficiency class	F	F
Fuel type	Natural gas	Natural gas
Direct heat output	4.0kW	3.8kW

Fuel effect	Control type	Model Number
	Manual	GSPC00MN
Coal/Pebble	Slide	GSPC00SN
	Remote	GSPC00RN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally



Dimensions A & B refer to Standard trim only

Brick Pre-Chimney Fabricated











highefficiency Conventional Flue

Hearth Inset – Open Fronted

Arana



The Arana features one of the most realistic coal effects on the market and offers an amazing 3.7kW of heat. This open fronted fire is able to deliver a higher output through the use of a heat exchanger which draws in the cool room air and converts it to warm convected air.

Manual and slide control models are available and you can create your own style with a choice of any Global trim, fret or fascia (see pages 20-22).

Specifications


Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	60%
Energy efficiency class	F
Fueltype	Natural gas
Direct heat output	3.7kW

Fuel effect	Control type	Model Number
Cool	Manual	GICC00MN
Coal	Slide	GICCOOSN

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally

Dimensions



Dimensions A & B refer to Profiled trim only



















Chimney Fabricated





















Hearth Inset – Glass Fronted

Fantasy BF



The Fantasy Balanced Flue is the perfect solution for those who like the look of a full depth fire but don't have a standard chimney or flue in their home. With 93.5% energy efficiency, this glass fronted fire is the most efficient product in our range and offers an impressive 3.9kW heat output.

The Fantasy BF comes in a choice of manual, Easy Flame or thermostatic remote control (see page 6 for more details), and can be teamed with a large number of Global trims and frets. This fire can be installed easily into most standard cavity walls when fitted with a 3" rebated fire surround.


Accessorise your fire with your choice of fascia or trim and fret combination from our wide selection (see pages 20-22).

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

		Manual		Easy Flame		Remote		
Useful energ	Useful energy efficiency		93.5%	93.5%	93	.5%	93.5%	
Energy efficiency class		В	В	В		В		
Fuel type	Fuel type		Natural gas	LPG	Na	tural gas	Natural §	gas
Direct heat o	Direct heat output		3.9kW	4.0kW	3.9kW		3.9kW	
Fuel effect Natural Gas			lodel Fuel effo		ect Control type		Model Number	
Coal	Manual Easy Flame Remote	GI	BFC00MN2 BFC00EN3 BFC00RN3	Coal		Manual	GBFC00N	ЛР2
Log	Manual Remote	-	BFL00MN2 BFL00RN2					

Safety: Flame Supervision Device Air vent required: No



Dimensions A & B refer to Profiled trim only. *Dimensions differ on Easy Flame control models. Please refer to installation manual. An optional flue extension is available to increase the maximum flue length to 1010mm on manual models and 973mm on Easy Flame models.

highefficiency Balanced Flue

Hearth Inset – Glass Fronted

Corda BF



The super slim Corda Balanced Flue has been specifically designed for homes without a chimney and its slim depth allows it to be easily installed into a standard cavity wall. This glass fronted product has an incredible 80% energy efficiency and comes with a choice of brass or chrome trim which can be complemented with your choice of any Global fret (see pages 20-22).


Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	80%
Energy efficiency class	E
Fuel type	Natural gas
Direct heat output	2.7kW

Fuel effect	el effect Control type Trim		Model Number	
Coal		Brass	GBFC10MN	
	Manual	Satin Silver	GBFC30MN	

Safety: Flame Supervision Device Air vent required: Not normally



C 580mm D 125mm E 95mm F 435mm G 675mm ma	Α	620mm max
D 125mm E 95mm F 435mm G 675mm ma	В	470mm max
E 95mm F 435mm G 675mm ma	С	580mm
F 435mm G 675mm ma	D	125mm
G 675mm ma	E	95mm
0 0, 5,,,,,,	F	435mm
	G	675mm max 130mm min
H 400mm	Н	400mm
I 145mm	T	145mm































standardfires Conventional Flue

Hearth Inset – Open Fronted

Corda



The slimline Corda gas fire features an attractive coal fuel bed and dancing flame effect. It is suitable for installation in to almost any home, to fit a standard brick chimney, pre-fabricated flue or pre-cast (BS EN 1858).

It is available in a choice of manual or convenient slide control. Accessorise your fire with your choice of fascia or trim and fret combination from our wide selection (see pages 20-22).


Specifications

Description: Slimline inset gas fire Type of Heat: Radiant

Useful energy efficiency	53.1%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	3.1kW

Fuel effect	Control type	Model Number	
Coal	Manual	GCMC00MN	
	Slide	GCMC00SN	

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally





Brick Pre-Chimney Fabricated











Plain Black





Hearth Inset – Open Fronted

Karara

The Karara gives the appearance of a full depth fuel bed on a slimline gas fire. Designed for easy installation in to any chimney or flue, including pre-cast (BS EN 1858), this stylish fire is both versatile and affordable.

This fire comes complete with a plain brass effect or brushed silver trim.

Accessorise your fire with your choice of fascia or trim and fret combination from our wide selection (see pages 22 & 23).

Specifications


Description: Slimline inset gas fire Type of Heat: Radiant

Direct Heat Output	2.7kW
Fuel type	Natural gas

Fuel effect	Control type	Model Number	Trim
Coal	Manual	GSRC10MN	Brass
Coal	Manual	GSRC30MN	Brushed Silver
Pebble	Manual	GSRP30MN	Brushed Silver

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally This product is not suitable for primary heating purposes

Dimensions



Dimensions A & B refer to Profiled trim only.

















Coal





Brick

Chimney Fabricated

18













Manual











Hearth Inset – Open Fronted

Fantasy



The Fantasy features an outstanding coal or pebble fuel effect and beautiful flame picture. This open-fronted fire provides a maximum heat output of 2.7kW and can be installed into most chimney or flues, including precast (BS EN 1858) when fitted with a 3"/75mm rebated surround.

A pebble fuel effect is available as an optional extra. Accessorise your fire with your choice of fascia or trim and fret combination from our wide selection (see pages 20-22).

Specifications


Description: Full depth inset gas fire Type of Heat: Radiant

Conventional

Conventional				
	Direct Heat Output		2.7kW	
Fuel type		Natural gas		
	Fuel effect	Control type	Model Number	
	Coal	Manual	GRDCOOMN	
	Coal	Slide	GRDC00SN	
	Coal	Remote	GRDC00RN2	

This product is not suitable for primary heating purposes

Safety: Flame Supervision Device & Oxygen Depletion Sensor Air vent required: Not normally



Dimensions A & B refer to Profiled trim only.

Brick Chimney Fabricated













Fascia options

Arcadia

The Arcadia is a one-piece cast iron fascia in a combination of black painted with optional colour plated finish. Suitable for all Global hearth inset gas fires excluding Corda BF. Unsuitable for Easy Flame Control systems.



BLACK & GOLD



BLACK & CHROME

Contemporary

The Contemporary is a onepiece fabricated steel fascia. Suitable for all Global hearth inset gas fires excluding Arana Plus, Corda BF and Fantasy BF. Unsuitable for slide control or Easy Flame Control systems.



BRASS



CHROME



SATIN SILVER

Embrace

The Embrace fascia is a one piece cast iron fascia in a combination of black painted and optional colour plated finish. Suitable for all Global hearth inset gas fires excluding Corda BF.
Unsuitable for Easy Flame Control systems.

Deluxe Contemporary

The Deluxe Contemporary is a one-piece fabricated steel fascia with angled form. Suitable for all Global hearth inset gas fires excluding Corda BF and Fantasy BF. Unsuitable for slide control systems.



SATIN BRASS



ANTIQUE BRASS



SATIN SILVER



BLACK



GOLD & BLACK

Dalliance

The Dalliance is a one-piece fabricated steel fascia.

HEARTH INSET

Suitable for all Global hearth inset gas fires excluding Corda BF.



CHROME



SATIN SILVER



BLACK

Delta

The Delta is a one-piece fabricated steel fascia.

WALL INSET

Suitable for Delta HE. Unsuitable for slide control systems.



CHROME



CHROME & BLACK

Signature

The Signature is a one-piece fabricated steel fascia. Suitable for all Global hearth inset gas fires excluding Corda BF and Fantasy BF.



BRASS & BLACK



CHROME & BLACK



SATIN SILVER & CHROME



BLACK NICKEL & CHROME



BLACK NICKEL & BLACK



BLACK NICKEL & BLACK

Fret options

Traditionally Styled Frets

Blenheim 16"









Elegance 16"





BRASS

ANTIQUE BRASS

CHROME

ANTIQUE CHROME

BLACK

Aviva 16"

BRASS BLACK & CHROME

BLACK

Daisy 16"











ANTIQUE BRASS

SATIN SILVER & CHROME

BLACK NICKEL

CHROME

Bauhaus 18"

BLACK NICKEL

Grace 16"











CHROME



SATIN SILVER

BRASS

Contemporary Styled Frets

CHROME

SATIN SILVER & CHROME

GOLD

BLACK NICKEL

BLACK

Aegis 18"







Trim options

Designer

Made from extruded anodised aluminium, Designer trims create fabulous dual combinations. Suitable for all Global hearth inset gas fires excluding Corda BF.







& CHROME

Profiled

The Profiled is a quality steel fabricated trim in a range of metallic and paint finishes. Suitable for all Global hearth inset gas fires excluding Corda BF.



BRASS





SATIN SILVER



BLACK

Signature

The Signature is a quality steel fabricated trim in a range of metallic and paint finishes. Suitable for all Global hearth inset gas fires excluding Corda BF model. Brass & Black finish is unsuitable for Fantasy BF model.



BRASS & BLACK



& BLACK

SATIN SILVER & CHROME



& CHROME



BLACK NICKEL & BLACK

Standard

The Standard is a quality steel fabricated trim in a range of metallic and paint finishes. Suitable for all Global hearth inset gas fires excluding Corda BF.



CHROME





Ultimo

The Ultimo is a cast iron trim with a black painted and optional colour plated finish. Suitable for all Global hearth inset gas fires excluding Corda BF. Unsuitable for Easy Flame Control systems.



GOLD & BLACK



CHROME & BLACK



BLACK NICKEL & BLACK

Curved

The Curved trim is made from a high quality extruded aluminium and is available in a black paint finish. Suitable for all Global hearth inset gas fires excluding Corda BF. Unsuitable for Slide control models.



BLACK









WWW.GLOBALFIRES.CO.UK

Go direct to the Global website on your smart phone or tablet device, just scan in this QR code.









WARNING BFM Europe Limited is a Gas Safe Register company. We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions.

DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase. Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information. Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types. We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure. We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat. In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present. (This brochure is copyright 2020 and must not be reproduced in whole or in any part without prior written permission).

